



GROUND CONTROL R - ROAD STABILISER

DESCRIPTION:

Ground Control R (GCR) is a specialty product developed as a road stabilisation and dust control binder for road surface material.

GCR is diluted with water and will form both long- and short-term solutions on application of required concentrate to road surface areas.

GCR will improve the structural integrity of the road surface area.

PRODUCT ADVANTAGES:

- Increased surface life and reduced dust levels.
- Easily applied through any watering system, dilutes with water.
- Product can be easily adjusted for short- or long-term requirements.
- Improved surface load carrying capacity.
- Improved structural integrity, effective problematic areas.
- Strong resistance to wind and water erosion.
- Reduction in maintenance costs for untreated surfaces.

DIRECTIONS FOR USE:

Ground Control R (GCR) is diluted with water and applied by a watering system at a rate of 2% -10%.

Coverage rate for application is recommended at a rate of 5:1 with adjustments as necessary.

Stabilisation trials to determine the desired ratio are recommended.

DILUTION RATE	5:1 WATER
COVERAGE RATE	1-2 m ² /L

Allow Ground Control R (GCR) to dry completely to be fully effective. For best results avoid application to waterlogged or wet clay areas where possible, allow ground surface area to dry out prior to application.

PACKS:

20L, 200L, 1,000L, Bulk Tankers.

FIRST AID, SAFETY & STORAGE:

Refer to Material Safety Data Sheet

GROUND CONTROL R (GCR) - PDS JUNE 2024

This Product Data Sheet (PDS) summarises our best knowledge of the product, including how to use and apply the product based on the information available at the time. You should read this PDS carefully and consider the information in the context of how the product will be used, including in conjunction with any other product and the type of surfaces to, and the manner in which, the product will be applied. Our responsibility for products sold is subject to our standard terms and conditions of sale. Chemical House does not accept any liability either directly or indirectly for any losses suffered in connection with the use or application of the product whether in accordance with any advice, specification, recommendation, or information given by it.